




Watlington Air Quality

NO₂ Monitor at Town Hall

The Town Hall monitor records the average NO₂ concentration for each hour throughout the day as an indication of the level of air pollution. The monthly average for January was 39.1 µg/m³, close to the annual objective for the NO₂ level. The snow in early February appears to have had only a minor effect on NO₂ levels.

The monthly average figures for the period since July 2018 have not yet been ratified.






Watlington Air Quality

NO₂ Monitor at Town Hall

The Town Hall monitor records the average NO₂ concentration for each hour throughout the day as an indication of the level of air pollution. The monthly average for February was 33.2 µg/m³. The snow in early February appears to have had only a minor effect on NO₂ levels. The level for the year to date is 36.1 µg/m³ which is typical for the past few years.

The monthly average figures for the period since July 2018 have not yet been ratified.



Watlington Air Quality

NO₂ Monitor at Town Hall

The Town Hall monitor records the average NO₂ concentration for each hour throughout the day as an indication of the level of air pollution. The monthly average for March was 27.1 µg/m³, the lowest March average since records were collected in 2013. The average for the year to date is 33.2 µg/m³ which is typical for the last few years.

The monthly average chart compares the levels detected this year with the average and range of monthly figures for the years 2013 to 2018. The monthly average figures for the period for 2019 have not yet been ratified.

